### Brand Manual

October 2019



### Introduction

The most important way of expressing our brand is through our identity.

It is more than a name or a logo. It is our means of presenting ourselves to our audiences. It tells them who we are, how we stand out from the rest and what they can expect of us. Our identity is the sum of everything we represent.

This guide has been written to ensure consistency in the application of our brand and its trademark. Our brand is everything that is perceived about us and makes us unique.

### Contents



Índice





9.

9.1

9.2

9.3

9.4

9.4.1 9.4.2

9.4.3

9.4.4

Layout

Layout

Forms Gray line

Logotype grid and size

Logotype position

Image container

Text container

Interrelation 9.4.4.1 Gray line with text

container 9.4.4.2 Image container with text container

7.	Products	8.	Brand architecture
7.1	Naming	8.1	Levels
7.2	Design and construction		



9.5

9.6

Text construction

Text size





10.	Communication	11.	Applications
10.1	Corporate	11.1	Business card
10.2	Sectors	11.2	PPTs
10.3	Products	11.3	Announcement of
10.4	Posters		GMVNews
10.5	Magazines and reviews	11.4	Publicity handout
10.6	Internal platform	11.5	Annual report
10.7	Social media	11.6	GMVNews
10.8	Video	11.7	Roll-ups
		11.8	Banners
		11.9	Web
		11.10	Office
		11.11	Coffee cup

# 1. Logotype

#### **Logotype** Presentation

GMV's logotype underpins our whole future. Its consistent and coherent application reflects our business outlook.

To ensure legibility the logotype should always be reproduced in its final design without any alteration whatsoever.



#### **Logotype** Safety gap and minimum sizes

To ensure perfect legibility of GMV's logotype at all times, there should always be a protection area or safety gap around it with no interference or infringement by any other graphic element.

The protection area takes its height from the letter "g", which we call for these purposes "X". The logotype has to be surrounded by a gap of X/2.

It is recommended that the logotype should never be applied in sizes smaller than the ones laid down here.



Minimum sizes



1.2

#### **Logotype** Color versions

This page shows the whole range of GMV logotype color versions.

The final logotype designs include a range of color code equivalences in PANTONE®, CMYK and RGB.



### **Brandline** Safety gap and minimum sizes

The brandline helps to define the trademark's business objective; in communications, therefore, this will preferably be used in combination with the logotype.

To ensure at all times the brandline's perfect legibility a protection area will always be left around the logotype and brandline, without any interference or infringement from any other graphic element.

The protection area takes its height from the letter "g", which we call for these purposes "X. Around the logotype there will always be a gap of X/2.

It is recommended that the logotype with brandline should never be applied in sizes smaller than the ones laid down here.





Minimum sizes



### **Brandline** Color versions

This page shows the whole range of GMV's logotype with brandline color versions.

The final logotype with brandline designs show color code equivalences in PANTONE®, CMYK and RGB.



### Permitted backgrounds

As well as the logotype color versions this can also be applied to images, taking into account the following factors:

- Legibility should always be the overriding factor with due respect for the logotype safety gap.
- 2. The logotype can be applied in red and white on images of any color, with preference for neutral colors.
- Although it could be applied to images of different colors the corporate colors will always feature in the communication, namely, red, white, garnet, gray and black.
- 4. In any editorial design or PPT presentations, on inside pages, the logotype may be applied in other corporate colors (garnet, black and secondary grays), since the trademark layout should be applied on the front and back cover, thereby ensuring presence of the logotype in its primary version and the corporate colors in the recommended percentages.



#### Improper uses

All the communication components, regardless of their specific message, should represent GMV, and its logotype should never be compromised to fit in with a given design, creative concept or printing system.

The logotype should be reproduced in its final design with no alteration whatsoever.

The images alongside show some examples of improper logotype uses.



Never rotate the logotype.



Never apply effects or distort the logotype.



Never apply shading to the logotype.



Do not change the logotype typograph.



Never change the brandline typography.



Never alter the proportions or relationships between brandline and logotype.



Never superimpose the logotype over photographs that undermine legibility.



Never apply the logotype over textures.



Do not change logotype colors.



Do not switch colors between logotype and brandline.



Do not apply textures within the logotype.



Do not apply elements that bear no relationship to the logotype and brandline.



### 2. Colors

#### **Colors** Main

Our colors help to define GMV's identity; these should never be replaced by other similar colors.

Our main colors are red, garnet, gray 40, black and white.

Through all its points of contact, our trademark should apply its palate of colors in the following way:



#### Main colors

<b>Red</b> PANTONE 185 C CMYK 0 100 100 0	RGB 223 0 36 RAL 3020 HEX DF0024	
<b>Garnet</b> PANTONE 1807 C CMYK 0 100 100 40	RGB 134 0 21 HEX 860015	
	RGB 153 153 153 HEX 999999	
<b>Black</b> PANTONE Black 6C CMYK 30 30 0 100	RGB 0 0 0 HEX 000000	
<b>White</b> PANTONE no aplica CMYK 0 0 0 0	RGB 255 255 255 HEX FFFFFF	

### **Colors** Secondary

Our colors help to define GMV's identity; these should never be replaced by other similar colors.

The palate of secondary colors comprises the hues of gray shown in the image alongside.

#### Secondary colors

Gray	Gray	Gray	Gray	Gray	Gray	Gray	Gray	Gray
90	80	70	60	50	40	30	20	10
PANTONE	PANTONE	PANTONE	PANTONE	PANTONE	PANTONE	PANTONE	PANTONE	PANTONE
Pro. Black 90%	Pro. Black 80%	Pro. Black70%	Pro. Black 60%	Pro. Black 50%	Pro. Black 40%	Pro. Black 30%	Pro. Black 20%	Pro. Black 10%
CMYK	CMYK	CMYK	CMYK:	CMYK	CMYK	CMYK	CMYK	CMYK
0 0 0 100	0 0 0 80	0 0 0 70	0 0 0 60	0 0 0 50	0 0 0 40	0 0 0 30	0 0 0 20	0 0 0 10
RGB	RGB	RGB	RGB	RGB	RGB	RGB	RGB	RGB
25 25 25	51 51 51	76 76 76	102 102 102	127 127 127	153 153 153	178 178 178	204 204 204	229 229 229
HEX	HEX	HEX	HEX	HEX	HEX	HEX	HEX	HEX
191919	333333	4C4C4C	666666	7F7F7F	999999	B2B2B2	CCCCCC	E5E5E5

# 3. Typography

### **Typography** Corporate

The Accord Alternate family font makes up the trademark's corporate typography (for documents made by the graphic design department). The typographic weights shown alongside will be used. Corporate typography

# Accord Alternate

Accord Alternate Regular ABCDEFGHIJKLMNÑOPQRSTUVWXYZ abcdefghijklnñopqrstuvwxyz 0123456789#\$%()¡!¿?/@&\*

Typographic weights

Accord Alternate ExtraLight Accord Alternate ExtraLight Italic Accord Alternate Regular Accord Alternate Italic Accord Alternate Bold Accord Alternate Bold Italic Accord Alternate ExtraBold Italic

### **Typography** Alternative

The Verdana typeface is part of the operative system of every computer. This will be our typography for general use.

OUTLOOK

To change the default text in Outlook, Verdana typography should be selected as follows: File > options > mail > background design and fonts... Alternative typography

## Verdana

Verdana Regular ABCDEFGHIJKLMNÑOPQRSTUVWXYZ abcdefghijklnñopqrstuvwxyz 0123456789#\$%()j!;?/@&\*

Typographic weights

Verdana Regular Verdana Italic Verdana Bold Verdana Bold Italic

# 4. Photographic style

#### **Photographic style** Thematic

Our photographic style is one of the most important elements of our identity. It is crucial in terms of transmitting what makes us stand out from our competitors.

The aim of our photographic style is to set up an emotional bond with our audience and ensure we stand out from the rest.

GMV's hallmark photographic style uses the following themes:

- 1. Sportspersons and athletes
- 2. Persons
- 3. Sectors
- 4. Products and services







### **Photographic style** Sportspersons and athletes

One of the hallmark features of our photographic style is the use of sporting and athletic images inspired on our winning, getup-and-go character and the energy and zest we put into all our work.

The images of athletes and sportspersons will always be in black and white on a white background, sharply presented to catch the eye and metaphorically get across the fact that "we go further".

This theme will be used mainly when the trademark is speaking as a corporation.



#### **Photographic style** Persons

Coming up with groundbreaking, universallybeneficial solutions is the driving force that pushes us further than the rest. Clients and users as well as GMV members should all feel fully involved in this overarching goal.

Within this theme our audiences should feel identified with the images, involving real, positive and dynamic characters in natural situations. The photographs should summon up a sense of empathy and fellow feeling.

An ambience of neutral backgrounds and accents in red and garnet, which may equally be in the clothing or props.

We might also use images with no actual people but an evocation of their presence.



#### **Photographic style** Sectors

GMV offers solutions in diverse sectors. These may be represented by photographs of elements or services that literally represent the sector or more abstract images with more complex meanings.

Photograph permitting, the color red or garnet should also be included in elements, clothing or props.



### **Photographic style** Products and services

Given the character of our business there will be times when photographs of products or environments of our services will be featured. These images should focus on the product/service shown in a setting where it is naturally used.

Photograph permitting, the color red or garnet should also be included in elements, clothing or props.



# 5. Iconography

### Iconography Concept

Icons help us to represent and communicate ideas in a more direct way.

The design of our icons has been inspired by the forms of GMV's logotype, chiming in harmoniously with other components of the company's look & feel that have taken their inspiration from the same source, such as corporate typography and the forms used in the layout.



Essential form of iconography



### **Iconography** Design and construction

The iconography will be designed on the basis of a 24  $\times$  24 dp grid.

Building our icons on this system has enabled us to scale them at 36, 48, 60, 72 dp and so forth, conserving their precision and visual clarity.

The icons will be made up as follows:

- Line thickness should be 1 dp.
- The essential form should appear at least once in each icon (barring exceptional occasions when meaning overrides form).
- The minimum radius of the curve of the essential form will be 1dp.
- It will be permissible to combine the essential form with others, with a preference for diagonal curves (see text container form in publicity formats).

Grid



#### Anatomy





#### Iconography Collection





Aeronautics



Defense and security



Intelligent Transportation Systems (ITS)



Automotive



Industry



Healthcare





Financial





Digital public services





Service sector

## 6. Tone of voice

### **Tone of voice** Characteristics

GMV's tone of voice is one more element that helps us to get across our trademark essence and personality in all points of contact.

The tone of voice of our trademark can be summed up in six points. Our tone of voice is precise, thought-provoking, intelligent, friendly, modern-day and empathetic.

#### Characteristics

### Precise

The message should go straight to the point, communicating the crux of the matter in a clear and simple way.

## Thoughtprovoking

We should arouse intrigue and surprise with attractive, eyecatching messages.

## Modern-day

Avoid old-fashioned concepts and try to use the most up-to-date terms.

### Intelligent

Without getting bogged down in technicalities or pedantries, our tone of voice should express our hallmark spark of wit.

## Friendly

We will always come across as close to our audiences, presenting ourselves as a trustworthy partner.

## Empathetic

Always bear in mind our target audience in each case, adapting the message to suit without ever forfeiting our hallmark rigor and thoroughgoingness.

## 7. Products

### **Products** Naming

GMV is our brand, the brand we want to strengthen and get across. We should therefore be careful not to dilute it by product overkill. The names of these products should therefore always be descriptive or evocative and easy to pronounce. E.g: GMV Mobility,Tracker or GMV Satellite Tracker.

Products should in general eschew initials unless their use is standard within the industry, such as SCC.

Product names can be applied in two ways:

- 1. Logotyping
- 2. Within the body copy

1. Logotyping



2. Within the body copy

Examples:

"... GMV *Atalaya* monitors diverse sources on an 8x5 or 7x24 basis..."

"... GMV provides its customers with the digital surveillance service: *Atalaya*."

"...GMV's cybersecurity solutions are *Atalaya*, *Gestvul* and *Checker*."

### **Products** Design and construction

Accord Alternate ExtraBold Italic will be the standard font for GMV's products.

Product names should always be written with the first letter in upper case and the rest in lower case, barring such exceptions as might be approved by GMV's communications department.

The descriptor will be written in upper case in Accord Alternate Bold.

Both the product name and its descriptor will be written in black or white depending on the background color. x [ **Transmitto** ® ] x/4 x/4 [ MULTIMEDIA UNIFIED MESSAGING ] 3X/8

X **Flexplan** 

Hifly<sup>®</sup> GMV Planner

**GMV** Planner

Negative

Hifly

Positive

### 8. Brand architecture

#### Brand architecture

Levels	Name	wordmark
1. Corporate	GMV	<b>Second Second S</b>
2. Companies	GMV (regardless of its tradename)	<b>Source</b> INNOVATING SOLUTIONS
3. Sectors	Space	SPACE
4. Products	Transmitto	Transmitto <sup>®</sup> Multimedia unified messaging

# 9. Layout
# Layout

The general term layout refers to the arrangement of components within a publicity item.

The design components are:

- 1. Layout: layout grid, size and position of logotype, forms (image and text containers).
- 2. Image: photographs, illustrations and icons.
- **3. Texts:** title, body copy, call to action, web, sector and product.





## Layout Logotype grid and size

The layout dictates the size and positioning of the logotype according to the dimensions in each case; it also determines the layout grid.

### Step 1

First we need to establish the shortest side of the piece, which we will call "A" and divide it by 40; the resulting value will be the basic measurement "X".

### Step 2

The margins on each side will be 3X.

### Step 3

The width of the text area we will call "C", and we will create 8 columns separated by a gap equal to X.

### Step 4

The size of GMV's logotype is then decided as follows: its width will be the result of dividing by 8 the longest side of the piece, called "B".



X = A/40

В

Logotype width = B/8

## **Layout** Logotype position

The logotype can have two positions:

- Main: bottom right-hand corner.
- Alternative: top righthand corner.



## **Layout** Forms

The forms of the trademark layout have to tally with the typography of our logotype. We distinguish between three types of forms according to their use:

- 1. Gray line: Exclusive in corporate communication with black-and-white images of sportspersons and athletes.
- 2. Image container
- 3. Text container

Gray line Text container Image container

## Layout Forms

### **GRAY LINE**

To be used mainly with images of sportspersons and athletes.

The gray line characteristically has an upwards curve in the top righthand corner with a matching downwards curve in the top lefthand corner.

Its height will be 4X and it stretches across the whole top of the piece. The radii of the righthand and lefthand curves will be 2X.

The line color will be gray 40.

The gray line has two positions within the layout:









### Across the whole top / down the whole side

## **Layout** Forms

### IMAGE CONTAINER

To be used in all image-containing communications.

The image container, like the gray line, characteristically curves upwards in the bottom righthand corner and downwards in the bottom lefthand corner.

Its height is variable and will stretch across the whole width. The radii of the circles making up the curves will be 2X.



(\*) The image container in **inside pages** of the communication can be reduced to suit the grid columns.

Across the whole top (\*)



## **Layout** Forms

### **TEXT CONTAINER**

To be used in all text-containing communications.

The text container characteristically has curved corners at the top left and bottom right and right-angled corners in the rest.

The radii of the curved corners will be 2X. The text container will be variable in height and its width will be established by the textcontaining columns. The margin between the text and container borders will be at least 2X. The margins may be bigger when the composition calls for it.

The text container shall be in the red color of the brand.



## **Layout** Forms

### INTERRELATION

### Gray line with text container

This combination of forms should be used in corporate communications and with blackand-white images of sportspersons and athletes.

The forms can be separate or together, multiplied on the same slide. This superimposition gives us the corporate garnet color.



The minimum margin, when these forms are superimposed, has to be 3X.

### Minimum margin of superimposition



## **Layout** Forms

### INTERRELATION

### Image container with text container

This combination of forms could be used in any communications where the layout contains an image and a text.

The forms can be separate or together, with the text container over the image container, multiplied on the same slide. This superimposition gives us similar tones to the corporate garnet color.



The minimum margin, when these forms are superimposed, has to be 3X.

### Minimum margin of superimposition



## Layout Text construction

This page shows the text construction for communication purposes.

### Sector

Typography: Accord Alternate Bold Color: red / white. Size: size of the title divided by 2.

### Title

Typography: Accord Alternate Bold Color: red / white. Size: size of the body copy times 3.

### Body copy

Typography: Accord Alternate Regular Color: black or gray/white. Size: recommended size according to the piece. (See following page).

### Call to action y web

Typography: Accord Alternate bold Color: black or gray/white. Size: size of the body copy.

### Alignment

All texts should be aligned to the left without chopping off any words.

Sector \_\_\_\_\_

E-HEALTH

Title -

Body copy

# Bringing healthcare closer to citizens

Lorem ipsum dolor sit amet, consectetur adipiscing elit. Nulla auctor quam hendrerit, aliquet nunc ut, dignissim enim. Aenean tincidunt augue non tortor rutrum imperdiet. Pellentesque pretium vulputate tellus. Aenean interdum bibendum nulla quis hendrerit. Nam at congue ex. Maecenas luctus ligula volutpat est ultricies, at hendrerit felis posuere. In hac habitasse platea dictumst. Proin porta urna id odio facilisis, eu luctus ipsum ullam. Upper case "L" in the same size as the title

Call to action \_\_\_\_\_ Call to action.

Web \_\_\_\_\_ gmv.com

## **Layout** Text size

The chart alongside shows guideline typographic sizes to suit the size of the piece.

The general rules for achieving proper typographic contrast between the component parts of the texts for publicity messages are the following:

**Title** = size of the body copy x 3. In special situations, where a bigger title is needed, the body copy can be multiplied by 4. If, on the contrary, a smaller title is needed, the body copy could be multiplied by 2.

**Body copy** = sizes suggested on this page.

Call to action y web = size of the body copy.

**Sector** = title size / 2.

**Products** = title size.

### N.B:

For bigger pieces we recommend establishing a legible size for the body copy and then applying the abovementioned rules.

	<b>Faldón</b> 20 x 7 cm	<b>A5</b> 14,8 x 21 cm	<b>A4</b> 21 x 29,7 cm	<b>A3</b> 29,7 x 42 cm
<b>Title</b> Accord Alternate Bold	24 - 27 pt.	27 - 30 pt.	30 - 33 pt.	36 - 42 pt.
<b>Body copy</b> Accord Alternate Regular	8 - 9 pt.	9 - 10 pt.	10 - 11 pt.	12 - 14 pt.
<b>Call to action y web</b> Accord Alternate Bold	8 - 9 pt.	9 - 10 pt.	10 - 11 pt.	12 - 14 pt.
<b>Sector</b> Accord Alternate Bold	12 - 13,5 pt.	13,5 - 15 pt.	15 - 16,5 pt.	18 - 24 pt.
<b>Product</b> Accord Alternate ExtraBold italic	32 - 36 pt.	36 - 40 pt.	40 - 44 pt.	48 - 56 pt.

# 10. Communication

## **Communication** Corporate

10.1

### Ads



## **Communication** Sectors

Ads



## **Communication** Products

Ads



## Communication Products



### *Hifly*<sup>®</sup>

Maecenas nibh ause varius a exquis veri efficitur eras er simplicitas etis aeromus



## *Hifly*<sup>\*</sup>

Lorem ipsum dolor asit met

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In sed justo id dolor dignissim scelerisque sed et diam. Maecenas nibh augue, varius a ex quis, efficitur tempor neque. Vivamus ut augue eget justo finibus sodales nec eget tellus. Maecenas eleifend laoreet augue.

#### Vehicula tristique elementum

Pellentesque vestibulum pulvinar lacus vitae pulvinar. Donec non mi diam. Fusce leo odio, scelerisque hendrerit magna:

Vitae, lacinia fringilla mauris. Nulla sit amet libero elementum, auctor mi sed, mollis massa. Quisque sem massa, lobortis ut enim at, ultricies mollis lectus. In mollis libero velit, eu mollis tortor hendrerit. Donec sit amet volutpat ligula. Orci varius natogue penatibus et magnis dis parturient montes, nascetur.

#### Aliduam ultrices velit

Interdum et malesuada fames ac ante ipsum primis in faucibus. Sed congue, arcu nec interdum dapibus. Maecenas nibh augue, varius a ex quis, efficitur tempor neque.





#### Componentus elementis

Interdum et malesuada fames ac ante ipsum primis in

Maesas aeuge efencis

eleifend laoreet augue.

egestas id id risus.

non

faucibus. Sed congue, arcu nec interdum dapibus, odio nunc luctus lacus, quis faucibus sapien est id sapien. Phasellus turpis odio, tempus pulvinar laoreet et, ultrices id ante.

Lorem ipsum dolor sit amet, consectetur adipiscing elit. In sed

justo id dolor dignissim scelerisque sed et diam. Maecenas

Curabitur dignissim pulvinar nisi, nec congue neque Fermentum at. Aliquam in dolor elementum, sodales lectus

Vehicula tristique elementum Pellentesque vestibulum pulvinar lacus vitae pulvinar onec

Vitae, lacinia fringilla mauris. Nulla sit amet libero elementum, auctor mi sed, mollis massa.

Quisque sem massa, lobortis ut enim at, ultricies mollis lectus. In mollis libero velit, eu mollis tortor hendrerit.

Donec sit amet volutpat ligula. Orci varius natoque penatibus et magnis dis parturient montes, nascetur.

interdum, mattis sem. Fusce vel orci sit amet eros bibendum

nibh augue, varius a ex guis, efficitur tempor negue. Vivamus

ut augue eget justo finibus sodales nec eget tellus. Maecenas

Fusce factorum Interdum et malesuada Fames ac ante ipsum primis in faucibus. Sed congue, arcu nec interdum dapibus, odio nunc luctus lacus, quis faucibus sapien est id sapien eritos seris vet anequam ittus.

#### Consectetur vitae

Nullam cursus metus non iaculis lobortis. Nullam egestas hendrerit commodo. Pellentesque ac tellus arcu. Delitas emeritum ttulit per egonas essien gusper cuatres.

#### Neque lectur firmales ter

Fermentum faucibus eros. Phasellus pretium sed odio eu malesuada. Vivamus quis leo est. Vivamus tempor vehicula nisi eu interdum. Nulla vitae augue massa. Fusce sit amet varius mi. Integer condimentum velit id eros ultrices porttitor.

#### Suspendisse suscipit vehicula tristique

Aliquam ultrices vitae nisl quis accumsan. Nunc quis risus vel leo commodo suscipit. Mauris vitae nunc vel sem facilisis ultrices vitae et justo. Donec at semper eros. Fusce vel hendrerit nulla.

#### Curabitur dignissim pulvinar nisi

Tec congue neque fermentum at. Aliquam in dolor elementum, sodales lectus interdum, mattis sem. Fusce vel leo commodo suscipit. Mauris vitae nunc vel sem facilisis vel orci sit amet eros bibendum egestas id id risus. Cras at leo.





## **Communication** Posters

Posters



## **Communication** Magazines and reviews

Covers





Exceptional design for reviews

## **Communication** Internal platform





## **Communication** Social media

### Facebook



## **Communication** Video

### HEADLINES

For 1080p HDTV video there are predetermined safety gaps both for the action and the texts. Our layout has been adapted on the basis of these gaps.

The size of X has been obtained by applying the layout, and the construction of the gray line matches the horizontal margins of the safety gaps for 1080p HDTV, as the image shows.

The text safety gap will determine the positioning of the title and GMV logotype.

The text container shall be located in the lefthand margin of the action and its height may vary while always conserving a 108px gap with the title.

Titles may have a size of between 70pt and 80pt.



## **Communication** Video

### BUG

A digital on-screen graphic (Bug) for television will be positioned in the top righthand border of the safety gap for 1080p HDTV actions with a width of 180px.

The color of GMV's bug logotype will be white, and can be applied in a slide of the same color.

### HDTV 1080p / 16:9



SECURITY AREAS —— Action —— Text

## **Communication** Video

### LABEL

The text container should be located in the bottom lefthand border of the action area. The container can vary in width, keeping a 108px gap with the title.

Text size will be 60pt.

### HDTV 1080p / 16:9



## **Communication** Video

### CLOSING IMAGE

The logotype will be 600px wide and must be centered, both vertically and horizontally, in the screen.

In the case of closing images of thirdparty videos, when we cannot guarantee application of the logotype on a white background, the third party will be furnished with the logotype in white, as the option that works best on non-corporate colors or images. GMV's communication department should be consulted to clear up any doubt that crops up.

### HDTV 1080p / 16:9



ÁREAS DE SEGURIDAD —— Acción —— Textos

# 11. Applications

## **Applications** Tarjeta

### FRONT

**Size** 85 x 55 mm.

### Logotype

Size: 20 mm wide. Logotype color: Pantone® 185 Baseline color: Pantone® Process Black 100%.

### Name

Typography: Accord Alternate Bold. Size: 8 pt. Line spacing: 10 pt. Tracking: 10. Alignment: Left. Color: Pantone® Process Black 60%.

### Post

Typography: Accord Alternate Regular. Size: 8 pt. Line spacing: 10 pt. Tracking: 10. Alignment: Left. Color: Pantone® Process Black 60%. **Telephone numbers, email and address** Typography: Accord Alternate Regular. Size: 8 pt. Line spacing: 10 pt. Tracking: 10. Alignment: Left. Color: Pantone® Process Black 60%.



## **Applications** Tarjeta

BACK

**Size** 85 x 55 mm.

**Background** Color: Pantone® 185

Phrase

Typography: Accord Alternate Bold. Size: 16 pt. Line spacing: 19 pt. Tracking: 0. Alignment: Left. Color: white (paper).

### Web

Typography: Accord Alternate Bold. Size: 8 pt. Line spacing: 10 pt. Tracking: 10. Alignment: Right. Color: white (paper).



## **Applications** PPTs



## **Applications** PPTs



## **Applications** PPTs



## Applications Announcement







## Applications Annual report



## **Applications** GMVNews



## Applications Roll-ups







### ciberseguridad ¿Quieres jugar en otra liga?

Hoy la batalla se libra en Internet. Únete a los mejores expertos de ciberseguridad en un equipo imbatible de gente como tú.

Call to action

gmv.com

## Applications Banners



## **Applications** Web





## Applications Office



学校

Resolvemos los problemas más complejos.





## **Applications** Coffee cup



This visual identity manual has to be rounded out by a set containing the final designs of GMV's logotype in all its versions and the trademark iconography.

To obtain these final designs or clear up any doubt about this document, please contact GMV's marketing department. marketing@gmv.com

